



# RFD90 UHF RFID Sleds

## Accessory Guide

March 2022

# RFD90 Sled Host Device Mounting Compatibility

	eConnex™	Bluetooth®	Exoskeleton Required	Handstrap Supported
<b>TC21/26</b>	—	Yes	No	No
<b>TC51/52/52x/56/57/57x</b>	—	Yes	Yes	No
<b>TC52ax with SE4720</b>	Yes	Yes	Yes	No
<b>TC70/70x/72/75/75x/77</b>	Yes	Yes	No	Yes
<b>TC53/58</b>	Yes	Yes	Yes	Yes
<b>TC73/78</b>	Yes	Yes	No	Yes
<b>Third party Smartphones and Tablets</b>	—	Yes	—	—

# RFD90 Sled Adaptors

- eConnex™-enabled Adaptors (for use with mobile computers with 8- or 10-pin rear connector)

## eConnex-enabled Adaptors

### ADP-RFD90-TC5X-1E

RFD90 Sled eConnex  
Adaptor for TC52ax



### ADP-RFD90-TC7X-1E

RFD90 Sled eConnex Adaptor for  
TC70/70x/72/75/75x/77



### ADP-RFD90-TC5X-2E

RFD90 Sled eConnex Adaptor for  
TC53/58



# RFD90 Sled Adaptors

- eConnex™-enabled Adaptors (for use with mobile computers with 8- or 10-pin rear connector)

## eConnex-enabled Adaptors

**ADP-RFD90-TC7X-2E**

RFD90 Sled eConnex Adaptor for TC73/78



# RFD90 Sled Adaptors

- Bluetooth Adaptors (for use with Zebra mobile computers with and without 8-pin rear connector)

## Bluetooth Adaptors – Zebra Mobile Computers

### ADP-RFD90-TC2X-1R

RFD90 Sled Bluetooth Adaptor  
for TC21/26



### ADP-RFD90-TC5X-0R

RFD90 Sled Bluetooth Adaptor  
for TC51/52/52x/52ax/56/57/57x



### ADP-RFD90-TC5X-2R

RFD90 Sled Bluetooth Adaptor  
for TC53/58



# RFD90 Sled Adaptors

- Bluetooth Adaptors (for use with Zebra mobile computers with and without 8-pin rear connector)

## Bluetooth Adaptors – Zebra Mobile Computers

### ADP-RFD90-TC7X-1R

RFD90 Sled Bluetooth Adaptor  
for TC70/70x/72/75/75x/77



### ADP-RFD90-TC7X-2R

RFD90 Sled Bluetooth Adaptor  
for TC73/78



# RFD90 Sled Adaptors

- Bluetooth Adaptors (for use with third-party smartphones)
  - OtterBox uniVERSE cases not resold by Zebra

## Bluetooth Adaptors – Third-Party Smartphones

### **ADP-RFD90-BT-1R**

RFD90 Sled Bluetooth Adaptor for OtterBox uniVERSE Cases



# RFD90 Sled Accessories

## Replacement Parts

**ADP-RFD90-BLNK-1R**

RFD90 Sled Blank Cover



**SG-RFD90-ADPSCRWS-01**

RFD90, Quantity of 4 Replacement Adaptor Screws



## Holsters and Mounts

**SG-RFD90-HLSTR1-01**

RFD90 Rigid Holster with Belt Clip (Belt Sold Separately)



**MNT-RFD49-UNPWR-01**

RFD90 Unpowered Stationary Mount, Compatible with AMPS Mounting Pattern





# Single Slot Cradles

- Charges 1 RFD90 Sled and 1 Mobile Computer (together or separately)

## Single Slot Cradles – RFD90 & TC21/26

### CRD1S0T-RFD90-TC2X-CHG-1R

RFD90, 1 Device Slot/0 Toaster Slots, Charge Only Cradle with support for TC21/26 & TC21/26-HC



### CRD1S0T-RFD90-TC2X-COM-1R

RFD90, 1 Device Slot/0 Toaster Slots, Communication Cradle with support for TC21/26 & TC21/26-HC



Requires Power Supply (PWR-BGA12V50W0WW), DC Line Cord (CBL-DC-388A1-01), and Country Specific Line Cord.

# Single Slot Cradles

- Charges 1 RFD90 Sled and 1 Mobile Computer (together or separately)

## Single Slot Cradles – RFD90 & TC51/52/52x/52ax/56/57/57x

### CR90-1S0T-TC5-G-01

RFD90, 1 Device Slot/0 Toaster Slots, Charge Only Cradle with support for TC51/52/52x/52ax/56/57/57x



### CR90-1S0T-TC5-M-01

RFD90, 1 Device Slot/0 Toaster Slots, Communication Cradle with support for TC51/52/52x/52ax/56/57/57x



Requires Power Supply (PWR-BGA12V50W0WW), DC Line Cord (CBL-DC-388A1-01), and Country Specific Line Cord.

# Single Slot Cradles

- Charges 1 RFD90 Sled and 1 Mobile Computer (together or separately)

## Single Slot Cradles – RFD90 & TC70/70x/72/75/75x/77

### CR90-1S0T-TC7-G-01

RFD90, 1 Device Slot/0 Toaster Slots, Charge Only  
Cradle with support for TC70/70x/72/75/75x/77



### CR90-1S0T-TC7-M-01

RFD90, 1 Device Slot/0 Toaster Slots, Communication Cradle  
with support for TC70/70x/72/75/75x/77



Requires Power Supply (PWR-BGA12V50W0WW), DC Line Cord (CBL-DC-388A1-01), and Country Specific Line Cord.

# Single Slot Cradles

- Charges 1 RFD40 Sled and 1 Mobile Computer (together or separately)

## Single Slot Cradles – RFD90 & TC53/58

### CR49-1S0T-TC5-G-02

RFD40/RFD90, 1 Device Slot/0 Toaster Slots, Charge  
Only Cradle with support for TC53/58



### CR49-1S0T-TC5-M-02

RFD40/RFD90, 1 Device Slot/0 Toaster Slots, Communication  
Cradle with support for TC53/58



Requires Power Supply (PWR-BGA12V50W0WW), DC Line Cord (CBL-DC-388A1-01), and Country Specific Line Cord.

# Single Slot Cradles

- Charges 1 RFD40 Sled and 1 Mobile Computer (together or separately)

## Single Slot Cradles – RFD90 & TC73/78

### CR90-1S0T-TC7-G-02

RFD90, 1 Device Slot/0 Toaster Slots, Charge Only  
Cradle with support for TC73/78



### CR90-1S0T-TC7-M-02

RFD90, 1 Device Slot/0 Toaster Slots, Communication Cradle  
with support for TC73/78



Requires Power Supply (PWR-BGA12V50W0WW), DC Line Cord (CBL-DC-388A1-01), and Country Specific Line Cord.

# Single Slot Cradles

- Charges 1 RFD90 Sled and 1 Mobile Computer (together or separately)

## Single Slot Cradles – RFD90 Only or with OtterBox uniVERSE Case

### CRD1S0T-RFD49-UNIV-CHG-1R

RFD40/90, 1 Device Slot/0 Toaster Slots, Charge Only Cradle with support for Universal/3<sup>rd</sup> Party



### CRD1S0T-RFD49-UNIV-COM-1R

RFD40/90, 1 Device Slot/0 Toaster Slots, Communication Cradle with support for Universal/3<sup>rd</sup> Party



Requires Power Supply (PWR-BGA12V50W0WW), DC Line Cord (CBL-DC-388A1-01), and Country Specific Line Cord.

# Multi Slot Cradles

- Charges 3 RFD90 Sleds and 3 Mobile Computers (together or separately) and 4 RFD90 Batteries

## Multi Slot Cradles – RFD90 & TC21/26

### CRD3S4T-RFD90-TC2X-CHG-1R

RFD90, 3 Device Slots/4 Toaster Slots, Charge  
Only Cradle with support for TC21/26



### CRD3S4T-RFD90-TC2X-COM-1R

RFD90, 3 Device Slots/4 Toaster Slots, Communication  
Cradle with support for TC21/26



Requires Power Supply (PWR-BGA12V108W0WW), DC Line Cord (CBL-DC-382A1-01 or CBL-DC-381A1-01), and Country Specific Line Cord.

# Multi Slot Cradles

- Charges 3 RFD90 Sleds and 3 Mobile Computers (together or separately) and 4 RFD90 Batteries

## Multi Slot Cradles – RFD90 & TC51/52/52x/52ax/56/57/57x

### CR90-3S4T-TC5-G-01

RFD90, 3 Device Slots/4 Toaster Slots, Charge Only Cradle with support for TC51/52/52x/52ax/56/57/57x



### CR90-3S4T-TC5-M-01

RFD90, 3 Device Slots/4 Toaster Slots, Communication Cradle with support for TC51/52/52x/52ax/56/57/57x



Requires Power Supply (PWR-BGA12V108W0WW), DC Line Cord (CBL-DC-382A1-01 or CBL-DC-381A1-01), and Country Specific Line Cord.



# Multi Slot Cradles

- Charges 3 RFD90 Sleds and 3 Mobile Computers (together or separately) and 4 RFD90 Batteries

## Multi Slot Cradles – RFD90 & TC70/70x/72/75/75x/77

### CR90-3S4T-TC7-G-01

RFD90, 3 Device Slots/4 Toaster Slots, Charge Only  
Cradle with support for TC70/70x/72/75/75x/77



### CR90-3S4T-TC7-M-01

RFD90, 3 Device Slots/4 Toaster Slots, Communication Cradle  
with support for TC70/70x/72/75/75x/77



Requires Power Supply (PWR-BGA12V108W0WW), DC Line Cord (CBL-DC-382A1-01 or CBL-DC-381A1-01), and Country Specific Line Cord.

# Multi Slot Cradles

- Charges 3 RFD40 Sleds and 3 Mobile Computers (together or separately) and 4 RFD40 Batteries

## Multi Slot Cradles – RFD90 & TC53/58

### CR49-3S4T-TC5-G-02

RFD40/RFD90, 3 Device Slots/4 Toaster Slots, Charge Only  
Cradle with support for TC53/58



### CR49-3S4T-TC5-M-02

RFD40/RFD90, 3 Device Slots/4 Toaster Slots, Communication  
Cradle with support for TC53/58



Requires Power Supply (PWR-BGA12V108W0WW), DC Line Cord (CBL-DC-382A1-01 or CBL-DC-381A1-01), and Country Specific Line Cord.

# Multi Slot Cradles

- Charges 3 RFD40 Sleds and 3 Mobile Computers (together or separately) and 4 RFD40 Batteries

## Multi Slot Cradles – RFD90 & TC73/78

### CR90-3S4T-TC7-G-02

RFD90, 3 Device Slots/4 Toaster Slots, Charge Only Cradle with support for TC73/78



### CR90-3S4T-TC7-M-02

RFD90, 3 Device Slots/4 Toaster Slots, Communication Cradle with support for TC73/78



Requires Power Supply (PWR-BGA12V108W0WW), DC Line Cord (CBL-DC-382A1-01 or CBL-DC-381A1-01), and Country Specific Line Cord.

# Multi Slot Cradles

- Charges 3 RFD90 Sleds and 3 Mobile Computers (together or separately) and 4 RFD90 Batteries

## Multi Slot Cradles – RFD90 Only or with OtterBox uniVERSE Case

### CRD3S4T-RFD49-UNIV-CHG-1R

RFD40/90, 3 Device Slots/4 Toaster Slots, Charge Only Cradle with support for Universal/3<sup>rd</sup> Party



### CRD3S4T-RFD49-UNIV-COM-1R

RFD40/90, 3 Device Slots/4 Toaster Slots, Communication Cradle with support for Universal/3<sup>rd</sup> Party



Requires Power Supply (PWR-BGA12V108W0WW), DC Line Cord (CBL-DC-382A1-01 or CBL-DC-381A1-01), and Country Specific Line Cord.

# Single-Slot Cradle Bases Only – No Cup(s)

- Requires RFD90 Replacement Cradle Cup(s)

## Single-Slot Cradle Bases

### **CRD1S0T-RFD49-BASE-CHG-1R**

RFD40/90, 1 Device Slot/0 Toaster Slots, Charge Only Cradle Base Only



### **CRD1S0T-RFD49-BASE-COM-1R**

RFD40/90, 1 Device Slot/0 Toaster Slots, Communication Cradle Base Only with support for Universal/3rd Party



Requires Power Supply (PWR-BGA12V50W0WW), DC Line Cord (CBL-DC-388A1-01), and Country Specific Line Cord.

# Multi-Slot Cradle Bases Only – No Cup(s)

- Requires RFD90 Replacement Cradle Cup(s)
- Can be used to create mix-n-match cradle

## Multi-Slot Cradle Bases

### CRD3S4T-RFD49-BASE-CHG-1R

RFD40/90, 3 Device Slots/4 Toaster Slots,  
Charge Only Cradle Base Only



### CRD3S4T-RFD49-BASE-COM-1R

RFD40/90, 3 Device Slots/1 Toaster Slots, Communication  
Cradle Base Only with support for Universal/3rd Party



Requires Power Supply (PWR-BGA12V108W0WW), DC Line Cord (CBL-DC-382A1-01), and Country Specific Line Cord.

# Battery and Battery Charger/Toaster

## RFD90 Spare Battery

### **BTRY-RFD49-70MA1-01**

RFD40/90 PowerPrecision+ Spare Lithium-ion Battery, 7000mAh

### **BTRY-RFD49-70MA1-IN**

RFD40/90 PowerPrecision+ Spare Lithium-ion Battery, 7000mAh, India



## 4-Slot Spare Battery Charger

### **SAC-TC8X-4SCHG-01**

4-Slot Spare Battery Charger



# Cable Cup

## USB Cable Cup

### **CBL-RFD49-USB1-01**

RFD40/90, Snap-on USB Communication/Charging Cable Cup. Requires Power Supply (PWR-BGA12V50W0WW), DC Line Cord (CBL-DC-388A1-01), and Country Specific Line Cord.





# Replacement Cradle Cups

- Charges 1 RFD90 Sled and 1 Mobile Computer (together or separately)
- Can be mounted on single- or multi-slot charge only or communication cradle base

## Replacement Cradle Cups

### CUP-RFD90-TC2X-1R

Replacement Cradle Cup for RFD90 and TC21/26



### CUP-RFD90-TC5X-1R

Replacement Cradle Cup for RFD90 and TC51/52/52x/52ax/56/57/57x



### CUP-RFD90-TC7X-1R

Replacement Cradle Cup for RFD90 and TC70/70x/72/75/75x/77



### CUP-RFD49-UNIV-1R

Replacement Cradle Cup for RFD90 and Universal/3rd Party



# Replacement Cradle Cups

- Charges 1 RFD90 Sled and 1 Mobile Computer (together or separately)
- Can be mounted on single- or multi-slot charge only or communication cradle base

## Replacement Cradle Cups

### **CUP-RFD90-TC7X-2R**

Replacement Cradle Cup for RFD90 and  
TC73/78



# AC Line Cords – Country Specific

Country	Three Wire AC Line Cord
Abu Dhabi	50-16000-220R: 1.8M long, CEE 7/7 plug
Australia	50-16000-217R: 1.9M long, AS 3112 plug
Bolivia	50-16000-220R: 1.8M long, CEE 7/7 plug
Brazil	50-16000-727R: 18AWG, 250V, 16A, BR (3w)
China	50-16000-217R: 1.9M long, AS 3112 plug 50-16000-257R: 1.8M long, IEC 60320 C13 plug
Dubai	50-16000-220R: 1.8M long, CEE 7/7 plug
Egypt	50-16000-220R: 1.8M long, CEE 7/7 plug
Europe	50-16000-220R: 1.8M long, CEE 7/7 plug
Hong Kong	50-16000-219R: 1.8M long, BS1363 plug
India	50-16000-669R: 1.9M long, BS 546 plug
Iran	50-16000-220R: 1.8M long, CEE 7/7 plug
Iraq	50-16000-219R: 1.8M long, BS1363 plug

Country	Three Wire AC Line Cord
Israel	50-16000-672R: 1.9M long, S132 plug
Italy/Chile	50-16000-671R: 1.8M long, CIE 23-16 plug
Japan	50-16000-218R: 1.8M long, NEMA 1-15P plug
Korea	50-16000-220R: 1.8M long, CEE 7/7 plug 50-16000-256R: 1.8M long, CEE7/7 plug
Malaysia	50-16000-219R: 1.8M long, BS1363 plug
New Guinea	50-16000-217R: 1.9M long, AS 3112 plug
Russia	50-16000-220R: 1.8M long, CEE 7/7 plug
Singapore	50-16000-219R: 1.8M long, BS1363 plug
UK	50-16000-219R: 1.8M long, BS1363 plug
US	23844-00-00R: 7.5 feet long 50-16000-221R: 1.8M long, USA NEMA5-15P
Vietnam	50-16000-220R: 1.8M long, CEE 7/7 plug

